

Amendments to the Claims

The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (original) A device for encoding a datum, the device being operable to encode the datum by effecting a phase difference between one or more first pseudorandom signals and one or more corresponding second pseudorandom signals.

2. (original) The device as claimed in claim 1, wherein the device is operable to use any one of the first pseudorandom signals as a distinct channel that can be selected to encode the datum.

3. (original) The device as claimed in claim 1, wherein the device is operable to use a plurality of the first pseudorandom signals as a single channel that can be used to encode the datum.

4. (currently amended) The device as claimed in ~~any one of the preceding claims~~ claim 3, wherein the device is operable to effect the phase difference by controlling a signal generating means, which is arranged to generate the first pseudorandom signals, such that it outputs a symbol of each of the first pseudorandom signals at a predetermined time, wherein the predetermined time results in the phase difference between the symbol and a corresponding symbol in each of the second pseudorandom signals.

5. (currently amended) The device as claimed in ~~any one of the preceding claims~~ claim 4, wherein the datum comprises a signal encoded with information.

6. (currently amended) The device as claimed in ~~any one of the preceding claims~~ claim 5, wherein the first pseudorandom signals and second pseudorandom signals are in the form of direct sequence spread-spectrum signals.

7. (original) A device for decoding an encoded datum, the device being operable to decode the encoded datum by determining a phase difference between one or more first pseudorandom signals and one or more corresponding second pseudorandom signals.

8. (original) The device as claimed in claim 7, wherein the device is operable to use any one of the first pseudorandom signals as a distinct channel that can be selected to decode the datum.

9. (original) The device as claimed in claim 7, wherein the device is operable to use a plurality of the first pseudorandom signals as a single channel that can be selected to decode the datum.

10. (currently amended) The device as claimed in ~~any one of claims~~ claim 7 ~~[[to 9]]~~, wherein the device is operable to determine the phase difference by determining a time difference between a symbol of each of the first pseudorandom signals and a corresponding symbol of each of the first pseudorandom signals, wherein the time difference is representative of the phase difference.

11. (currently amended) The device as claimed in ~~any one of claims 7 to 10~~ claim 7, wherein the datum comprises a signal encoded with information.

12. (currently amended) The device as claimed in ~~any one of claims 7 to 11~~ claim 7, wherein the first pseudorandom signals and second pseudorandom signals are in the form of direct sequence spread-spectrum signals.

13. (original) A method of encoding a datum, the method comprising the step of encoding the datum by effecting a phase difference between one or more first pseudorandom signals and one or more corresponding second pseudorandom signals.

14. (original) The method as claimed in claim 13, wherein the step of encoding the datum comprises using any one of the first pseudorandom signals as a separate channel that can be selected to encode the datum.

15. (original) The method as claimed in claim 13, wherein the step of encoding the datum comprises the step of using a plurality of the first pseudorandom signals as a single channel that can be selected to encode the datum.

16. (currently amended) The method as claimed in ~~any one of claims 13 to 15~~ claim 13, wherein the step of encoding the datum is such that the phase difference is effected by controlling a signal generating means, which is arranged to generate the first pseudorandom signals, such that it outputs a symbol of each of the first pseudorandom signals at a predetermined time, wherein the predetermined time results in the phase difference between the symbol and a corresponding symbol in each of the second pseudorandom signals.

17. (currently amended) The method as claimed in ~~any one of claims 13 to 16~~ claim 13, wherein the datum comprises a signal encoded with information.

18. (currently amended) The method as claimed in ~~any one of claims 13 to 17~~ claim 13, wherein the first pseudorandom signals and second pseudorandom signals are in the form of direct sequence spread-spectrum signals.

19. (original) A method of decoding an encoded datum, the method comprising the step of decoding the encoded datum by determining a phase difference between one or more first pseudorandom signals and one or more corresponding second pseudorandom signals.

20. (original) The method as claimed in claim 19, wherein the step of decoding the encoded datum comprises the step of using any one of the first pseudorandom signals as a distinct channel that can be selected to decode the datum.

21. (original) The method as claimed in claim 19, wherein the step of decoding the encoded datum comprises the step of using a plurality of the first pseudorandom signals as a single channel that can be selected to decode the datum.

22. (currently amended) The method as claimed in ~~any one of claims 19 to 21~~ claim 19, wherein the step of decoding the encoded datum is such that the phase difference is determined by a time difference between a symbol of each of the first pseudorandom signals and a corresponding symbol of each of the second pseudorandom signals, wherein the time difference is representative of the phase difference.

23. (currently amended) The method as claimed in ~~any one of claims 19 to 22~~ claim 19, wherein the datum comprises a signal encoded with information.

24. (currently amended) The method as claimed in ~~any one of claims 19 to 23~~ claim 19, wherein the first pseudorandom signals and second pseudorandom signals are in the form of direct sequence spread-spectrum signals.

25. (currently amended) Software, which when executed by a computing device, enables the computing device to carry out the method as claimed in ~~any one of~~ claim 13 [[to 24]].

26. (original) A computer readable medium comprising the software as claimed in claim 25.